HEIN-WERNER

THE WHITE SADDLE LINE
Easy To Spot

HYDRAULIC *Service* JACKS

CATALOG No. 40

Covering a complete line of service jacks,
passenger car jacks and truck jacks.

Effective Feb. 1st, 1940

PRINTED IN U.S.A.

EASTERN U.S.

HYDRAULIC JACKS



(Factory and general offices of the Hein-Werner Motor Parts Corporation, Waukesha, Wis.)

Here's an interesting picture of the Hein-Werner Motor Parts Corp.

We take pardonable pride in calling attention to the Hein-Werner factory as it looks since the latest addition was completed early in 1940. The very fact that manufacturing facilities have had to be expanded twice during the past three years is a definite indication of the growing popularity of Hein-Werner Hydraulic Jacks.

Starting in a modest way ten years ago, Hein-Werner has quickly progressed to a ranking position of leadership. In the beginning Hein-Werner did not attempt to manufacture a complete line, but elected to start with a few models — but these were *built right* and *priced right*. . . Favorable reports spread rapidly and business grew by leaps and bounds . . . Hein-Werner added more models to round out the line, and these new models, like all others in the line, were *built right* and *priced right* . . . Many people were amazed that Hein-Werner could build such good hydraulic jacks and sell them at such low prices . . . But as the years have rolled along the dependable performance of Hein-Werner Jacks has proved that these jacks are *built right*, and the increase in sales proves they are *priced right*.

As you review this catalog we are confident that you will be quick to note the superior features of the various models which constitute the complete line. The Hein-Werner line now includes eight different service jacks for shop and service use, three different Bumper-Lift models for modern passenger cars, and thirteen models for cars, trucks and buses . . . Each and every model is designed to meet a definite need, and is an exceptional value.

SERVICE JACKS HAVE WHITE SADDLES

A WHITE SADDLE, which makes it easier to spot the jack under the load, is now standard on all Hein-Werner Hydraulic Service Jacks. The idea of finishing a saddle in glistening white was pioneered by Hein-Werner during 1939 and proved so popular that it is now included at no extra charge on all new Hein-Werner Service Jacks.

HANDLES ON FOUR LARGER MODELS OPERATE OVER 90° ARC . . . Stroke can start with handle vertical to the floor and end with it parallel to the floor. Very effective results can also be obtained by short strokes starting from any position in the complete range. Handle can be left in vertical position when jack is not in use.

HYDRAULIC UNIT is leak-proof, powerful, easy to operate, and is designed to assure dependable performance. All models have safety valves which prevent overloading.

Hein-Werner Service Jacks are available in 1½, 1½, 2, 3 and 4 ton capacity models . . . All models are finished in lustrous red.

CAR and TRUCK JACKS are TESTED at 1½ TIMES RATED CAPACITY

All Hein-Werner passenger car and truck jacks are sturdily constructed and are factory tested at 1½ times their rated capacity . . . SAFE . . . Dependable . . . Available in 1½, 2, 3, 5, 8, 12 and 20 ton capacities — there being a model to meet every need . . . Car and truck jacks are finished in glistening green.

GUARANTEE

We guarantee each Hein-Werner hydraulic jack against defective materials and workmanship. In case of such defects, repairs and adjustments will be made on a no charge or replacement basis, provided the jack or the jack parts are returned to us for inspection by prepaid transportation.

This guarantee does not cover jacks worn out in service or damaged through abuse, overloading or accident. *We reserve the right to decide the question of defectiveness.*

OFFICIAL SERVICE STATIONS

If a jack should need to be serviced, we recommend that it be taken or sent to a Hein-Werner Official Service Station rather than being sent to the factory for necessary repairs. Unnecessary expense and delay will thus be avoided . . . Consult your Hein-Werner jobber for the name and address of nearest official service station.

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HEIN-WERNER

O'BOY Model "O"

HYDRAULIC *Service* JACK

O'BOY MODEL "O" is the ace of values . . . This jack is designed primarily for *tire service work*, but it can also be used for general service in the shop or for road service jobs.

LIFTS 17½ INCHES—which is high enough to change tires on any passenger car or light weight truck.

QUICK REMOVABLE HANDLE is one of many features developed and *pioneered by* Hein-Werner . . . Slight finger pressure on two levers removes the handle, and it can be replaced just as quickly and easily. *Two-piece handle* will fit in side car of service motorcycle.

JACK ONLY WEIGHS 49 POUNDS . . . Handle weighs 10 pounds, a total of only 59 pounds . . . Compact, sturdy, yet easy to pick up and carry to the job.

SIDE MEMBERS are made of *heavy structural steel* which adds to the strength and durability of this popular jack. Other features include a *leak-proof hydraulic unit* . . . *Positive release valve.*

Built Right and Priced Right

$17.45

NET TO DEALER

has QUICK DETACHABLE HANDLE

SPECIFICATIONS:

CAPACITY
2,500 lbs.

- Length of Chassis - - 25"
- Length of Handle Extended - - - - - - - 47½"
- Length—Overall - 68¼"
- Saddle Low Point - - 4"
- Saddle High Point - 17½"
- High Point of Frame - 5¾"
- Size of Saddle - - 5½"
- Weight of Jack - 49 lbs.
- Weight of Handle - 10 lbs.
- Large 8" Diameter Wheels
- Shipping Weight—in fibre carton - - - - - 81 lbs.

HYDRAULIC JACKS

HEIN-WERNER

O'BOY Model "OS"

HYDRAULIC *Service* JACK

with Swivel Wheels and Swivel Saddle

O'BOY MODEL "OS" is the greatest value ever offered by Hein-Werner . . . This jack has all of the features of the Model "O", and in addition the Model "OS" has *swivel wheels* and *swivel saddle*.

This amazing jack is especially designed for tire service work, but it is built so well that it also is used for general service in the shop, and also is used as a road service jack.

SWIVEL WHEELS contribute to the ease of moving and positioning this jack under the front or rear of any passenger car. Large swivel wheels, equipped with ball bearings, roll with seemingly effortless ease even on gravel road or rough concrete.

SWIVEL SADDLE also is a contributing factor in making this model easier to position and to move under load.

Other features include *quick removable two-piece handle* . . . *Positive* action release valve operated by knob in handle . . . *Heavy structural steel side members.*

Built Right and Priced Right

$19.95

NET TO DEALER



has BIG SWIVEL WHEELS

SPECIFICATIONS:

2,500 lbs. CAPACITY

- Length of Chassis - 25½"
- Length of Handle Extended - - - - - - - - 47½"
- Length—Overall - - 68¼"
- Saddle Low Point - 4⅛"
- Saddle High Point - 17⅛"
- High Point of Frame - 5¼"
- Size of Saddle - - 5½"
- Weight of Jack - 55½ lbs.
- Weight of Handle - 10 lbs.
- Rear Wheels - - - 2¼"
- Front Wheels - - - 4"
- Shipping Weight—in fibre carton - - - - - 69 lbs.

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HEIN-WERNER

Model "W"

HYDRAULIC *Service* JACK

MODEL "W" is designed *especially for road service* jobs, but can also be used in the shop.

QUICK REMOVABLE HANDLE is one of the features of this popular jack. Slight pressure on two levers removes the handle, and it is just as easy to put back. *No tools are required.* No bolts or pins need be taken out . . . Handle has *cross-bar grip* . . . *Release valve knob* in handle assures positive SAFE operation.

EASY TO LIFT . . . Weight of jack is only 73 pounds, and weight of handle is only 11 pounds, a total of 84 pounds . . . A man can pick this jack up with one hand and put it in road service car or side car of motorcycle.

HAND LATCH LOCKS HANDLE in horizontal position, making it easy to position jack by rolling it on front or rear wheels.

Built Right and Priced Right

$23.50

NET TO DEALER



has QUICK DETACHABLE HANDLE



SPECIFICATIONS:

3,000 lbs. CAPACITY

- Length of Chassis - 25"
- Length of Handle Extended - - - - - - - - 47½"
- Length—Overall - - 70½"
- Saddle Low Point - - 4"
- Saddle High Point - 20"
- High Point of Frame - 5¼"
- Size of Saddle - - - 6½"
- Weight of Jack - 73 lbs.
- Weight of Handle - 11 lbs.
- Large 4" Diameter Wheels
- Shipping Weight—in fibre carton - - - - - 85 lbs.

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HEIN-WERNER

Model "WS"

HYDRAULIC *Service* JACK

with Swivel Wheels and Swivel Saddle

MODEL "WS" has all of the features of the Model "W", and in addition it has *swivel wheels* and *swivel saddle* . . . Light, compact, powerful. Has *quick detachable handle*. Easy to pick up and put in road service car or side car of service motorcycle. Upon arriving at the job it only takes a few seconds to attach the handle to the jack. A slight pressure on two levers removes the handle, and it is equally simple to put back.

SWIVEL WHEELS make this jack unusually easy to position. Large swivel wheels, equipped with ball bearings, add to ease of moving this jack, especially when used on gravel roads or rough concrete.

SWIVEL SADDLE also contributes to making jack easier to position or to move under load.

Built Right and Priced Right

$26.50

NET TO DEALER

has BIG SWIVEL WHEELS

SPECIFICATIONS:

CAPACITY
3,000 lbs.

- Length of Chassis - 28½"
- Length of Handle Extended - - - - - - - - 47½"
- Length—Overall - - 30½"
- Saddle Low Point - 4½"
- Saddle High Point - 20"
- High Point of Frame - 5⅛"
- Size of Saddle - - - 6½"
- Weight of Jack - 82½ lbs.
- Weight of Handle 13¾ lbs.
- Rear Wheels - - - 2½"
- Front Wheels - - - 4"
- Shipping Weight—in fibre carton - - - - 98½ lbs.

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HEIN-WERNER

Model "K"

HYDRAULIC *Service* JACK

Built Right and Priced Right

$34.50

NET TO DEALER

MODEL "K" is sturdily built, yet is so compact, light and powerful that it is very popular for use in close quarters. The chassis of this model is 31 inches long.

LIFTS TO 24½ INCHES from a low saddle point of 4 inches. Two ton capacity jacks of other makes in most instances do not lift to a height of more than 20 inches.

SWIVEL REAR WHEELS . . . Saddle also swivels . . . Rear casters are equipped with ball bearings.

HANDLE is 48 inches long. Operates over 90° arc. Can be locked in any one of three different positions, thus making it easier to move the jack or lift front or rear wheels over any hose, cord, curb or other similar obstruction which may be in path of the jack.

Has strong structural steel side members. Strong lifting arm.

LIFTS to 24½"

SPECIFICATIONS:

CAPACITY
4,000 lbs.

- Length of Chassis - - 31"
- Length of Handle - 48"
- Length—Overall - - 74"
- Saddle Low Point - - 4"
- Saddle High Point - 24½"
- High Point of Frame - 5⅝"
- Size of Saddle - - - 6½"
- Weight of Jack - 116 lbs.
- Rear Wheels - - - 2½"
- Front Wheels - - - 4"

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HYDRAULIC JACKS

HEIN-WERNER

Model "L"

HYDRAULIC *Service* JACK

MODEL "L" is similar to Model "K" except that Model "L" has a chassis 44 inches long.

This sturdy jack is ideal for use in the shop or service station. It has a capacity of 4,000 pounds which is ample to handle any passenger car.

HIGH LIFT TO 24½ INCHES is one of many features of this model. Starts from a low of 4 inches.

HANDLE OPERATES OVER 90° ARC, and locks in three different positions for ease of manœuvering and operating the jack.

RELEASE VALVE can be locked so that jack cannot be lowered accidentally . . . Safety valve prevents overloading . . . Oil filler holes are foolproof.

SWIVEL REAR WHEELS have ball bearings, and make jack easier to manœuver . . . Saddle also swivels.

SIDE MEMBERS are made of heavy structural steel . . . Hydraulic unit is leak-proof and is built to give lasting trouble-free service.

Built Right and Priced Right

$39.75

NET TO DEALER



SPECIFICATIONS:

CAPACITY
4,000 lbs.

- Length of Chassis - 44"
- Length of Handle - 48"
- Length—Overall - - 86"
- Saddle Low Point - - 4"
- Saddle High Point - 24½"
- High Point of Frame - 5⅞"
- Size of Saddle - - - 6½"
- Weight of Jack - 141 lbs.
- Rear Wheels - - - 2½"
- Front Wheels - - - 4"

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HYDRAULIC JACKS

HEIN-WERNER

Model "H"

HYDRAULIC *Service* JACK

MODEL "H" is a big sturdy hydraulic jack of 6,000 pounds capacity designed to handle jobs that are too heavy for a two-ton capacity jack.

HANDLE HAS FULL 90° STROKE, thus making it possible for operator to pump up the jack from practically any position over the 90° arc.

POWERFUL HYDRAULIC UNIT makes it easier for operator to lift load quickly and safely.

RELEASE VALVE is positive in action, and can be locked to assure against accidental lowering . . . Efficient safety valve prevents any possibility of overloading.

LIFTS to a total height of 24½ inches from a low of 4 inches.

BIG WHEELS 4" IN DIAMETER, front and rear . . . Rear wheels, which swivel, have ball bearings, and the front wheels have roller bearings.

LONG CHASSIS and long handle provide an overall length of 91 inches.

Built Right and Priced Right

$52.50

NET TO DEALER

SPECIFICATIONS:

CAPACITY
6,000 lbs.

- Length of Chassis - 49"
- Length of Handle - 48"
- Length—Overall - - 91"
- Saddle Low Point - - 4"
- Saddle High Point - 24½"
- High Point of Frame - 5⅞"
- Size of Saddle - - - 6½"
- Weight of Jack - 194 lbs.
- Size of Wheels - - - 4"

has RELEASE CONTROL KNOB IN HANDLE

HEIN-WERNER MOTOR PARTS CORP. WAUKESHA WISCONSIN

HYDRAULIC JACKS